




ONE PUSH-CAMERA

FULL HD CAMERA 1080P/25 (IP68)
 10 OR 18MM (0.4" OR 0.7") CAMERA
 (INTERCHANGABLE)
 30M (100 FT) PUSH/PULL OR PUSH ROD
 SAPHIRE GLAS LENS
 10.1" TOUCH DISPLAY, EXTENDED
 FULL HD (1920X1200P)
INTUITIVE CONTROL INTERFACE
 RUGGED YET LIGHT ABS-CASING, IP54
 (DUST- AND WATER SPLASH PROTECTION)
LOCATION (512HZ, 640HZ AND 33KHZ)
METERCOUNTER
 FULL VIDEO OVERLAY
32GB INTERNAL MEMORY
 (SD-CARD EXPANDABLE)
 4 HRS. LI-ION BATTERY
ERGONOMIC INTEGRATED TILT STAND
OTA-UPDATE-FUNCTION
 CAMERA CENTERING GUIDE, DISPLAY
 PROTECTION GLAS, CHARGING CABLE AND
 BACKSTRAP INCLUDED



ONE DEVICE. FOUR VARIANTS. ZERO COMPROMISES.

PORTABLE ALL-IN-ONE INSPECTION SYSTEM WITH TOUCHSCREEN
 AND THE INDUSTRIES SMALLEST HD-CAMERA.

NSP3CT^{PRO}

TECHNICAL INFORMATION ■



DEPLOYMENT RANGE	DN15 TO DN100 (0.5" TO 4")	
DIMENSIONS	367 X 445 X 123 MM (14.4" X 17.5" X 4.8")	
WEIGHT	6.5 KG (14.3 LBS)	
CASING	ABS	
PROTECTION CLASS	IP54 (DUST AND WATER SPLASH PROTECTION)	
METER COUNTER	✓	
VIDEO OVERLAY	✓ (DATE, TIME, TIMECODE AND DISTANCE)	
DETECTION	✓ 512Hz, 640Hz, 33kHz (IN PARALLEL)	
SPECIAL FEATURES	ERGONOMIC TILT-STAND, OTA-UPDATE FUNCTION	
CAMERA DIAMETER	10 MM (0.4") AXIAL	18MM (0.7") AXIAL
CAMERA RESOLUTION	FULL HD (1080P/25)	FULL HD (1080P/25)
LENS	SAPPHIRE GLAS	SAPPHIRE GLAS
FIELD OF VIEW	105°	105°
LIGHTING	DN15 - DN50 (0.5" - 2")	DN25 - DN100 (1" - 4")
PROTECTION CLASS	IP68	IP68
PRESSURE RESISTANCE	1 BAR	1 BAR
CABLE LENGTH	30 M (100 FT)	30 M (100 FT)
CABLE TYPE	PUSH-PULL CABLE	PUSH ROD
PIPE BEND MOBILITY	25 MM	40 MM
PERM. TENSILE STRENGTH	100 KG (220 LBS)	
OPERATING SYSTEM	ANDROID-BASED, INTUITIVE INSPECTION SYSTEM	
DISPLAY SIZE	10.1 INCHES	
DISPLAY RESOLUTION	EXTENDED FULL HD (1920 X 1200 PX, 16:10, WUXGA)	
DISPLAY INFORMATION	SUNLIGHT READABLE, CAPACITIVE (MULTI-TOUCH)	
BATTERY	4 HRS., LI-ION	
DATA STORAGE	32 GB INTERNAL MEMORY	
DATA STORAGE EXPANSION	SD-CARD OR USB	
CONNECTION	TYPE-C	
DATA TRANSMISSION	WIFI CONNECTION, USB TYPE-C	
ACCESSOIRES	CAMERA CENTERING GUIDE, DISPLAY PROTECTION GLAS, CHARGING CABLE AND BACKSTRAP	

CAMERA ████████████████████

CABLE ████████████████████

CONTROLS ████████████████████

TECHNICAL DRAWING ■

